

Swift Caravans 2000





Swift 2000 range



The year 2000 marks a milestone in man's history. In a similar way, the Swift Caravans 2000 range marks a milestone in a history of more than three decades of quality

and innovation which has earned Swift the distinction of being revered as the thoroughbred of the touring caravan world.

Throughout that history, Swift designers and craftsmen have constantly sought new ways to upgrade existing models and develop exciting new layouts. Today, that search has resulted in a 25-strong fleet of Tourers, fit to mark the Millennium.

The Corniche, Conqueror, Challenger and Classic ranges



all display the loving care and attention to detail that has made Swift the setter of standards, and winner of countless awards, over the years.



Quality with Style has been Swift's motto for many

years. Investment in advanced computer technology ensures that all models are produced to the same uncompromising quality, whilst Computer Aided Design



techniques allow the designers to consider every possible improvement option before a prototype is built.

Such technology automatically checks safety and stability variances at blue print stage. Even so, Swift engineers conduct over 200 stringent physical tests to guarantee absolute perfection. This commitment to quality ensures that all models comply with the New European Standards. It has earned Swift the prestigious ISO 9001 certificate for the standard of quality systems operated by the company.

The same quality ethos extends to the SuperCare aftersales service and SuperSure 3-year warranty that come with your new tourer.

Guaranteeing total customer



satisfaction and providing a perfect, trouble-free holiday

- that's the Swift Way to celebrate the year 2000.

Corniche



Corniche 15/2 SB



Corniche 14/2

touring style and luxury

Corniche



Corniche 15/2 SB

The Corniche is a tourer for the discerning. An individual streamlined signature created through the skilled use of GRP and a level of interior refinement that takes you into a new dimension of touring. Korsica apple-



Optional fabric Corniche 15/2 SB

colour furniture and new Belgian cotton print fabric gives interior warmth, while Italian designer furniture by Tecnoform with satin steel handles sets new standards for style.

Corniche



Corniche 14/2

Soft lighting from downlighters illuminates Stoves flush-fitting oven with matching recessed enamelled steel sink, frosted cocktail cabinet and



Corniche 15/2

Top and Above, Corniche 14/2

luxury vanity equipment with handcrafted cabinets. Every detail shows careful consideration to design and functionality.

Conqueror



All pictures, Conqueror 580

The Conqueror has become synonymous




with impressive style and high standards

Conqueror



All pictures, Conqueror 580

The new 610 offers a front and rear lounge with space for a separate shower and washroom, whilst the new 630 has an ensuite double bedroom with luxury front lounge/dining area and a fully fitted kitchen. Korsica



apple-colour, Italian designer furniture by Tecnoform, dual operating Carver 5500 heater, new flush-fitting sink and Stoves oven offer you a taste of the overall high level of specification.

Challenger



Challenger 530

The Challenger is the award-winning tourer, a



Top, Challenger 530. Above, Challenger 400

firm favourite with the committed caravanner

Challenger



Challenger 530

All models offer the perfect blend of style, with Italian designer furniture by Tecnoform in Korsica apple and sculptured upholstery in luxurious chenille fabric or optional traditional velour. A high level of specification



Challenger 530

Top, Challenger 500. Above, Challenger 400

includes a new flush-fitting Stoves oven and a recessed sink in the kitchen; and improved washrooms, with fully sealed shower cubicles and additional storage, for the ultimate leisure tourer.

Classic



Coronette

The Classic range provides a unique comb



Top, Coronette. Above, Silhouette

ination of sophistication, value and choice

Classic



Baronette

With 6 models and various seating options there's a layout to suit every need. Three models, including the revised Cornette, with dedicated front 'L' shaped lounge area, now feature the sophisticated SB washroom with



Baronette

Top, Coronette. Above, Baronette

fully sealed circular shower cubicle. Interior warmth and light are created with luxury chenille fabric, Korsica apple-colour furniture and a large panoramic roof light. A classic blend of luxury and affordability.

Washroom options

Constant development of washrooms and changing areas in all four Swift ranges provides practical layouts that offer the greatest possible choice in this key area.

NT Washroom Available on the following models:

Challenger 470SE Challenger 520SE

Corniche 17/3 NT

Corniche 15/2E NT

Conqueror 580 NT



SB Washroom Available on the following models:

Duette Coronette Challenger 530SE Corniche 15/2E SB

Coronette

Corniche 17/3 SB

Challenger 480SE

Conqueror 580 SB



Centre Layout Washroom Available on the following models:

Danette

Challenger 490 SE

Alouette

Challenger 490L SE

Alouette L

Conqueror 640 SAL/LUX



Silhouette

Challenger 400 SE



Centre Luxury Washroom Available on the following models:


Corniche 14/2 Conqueror 610 SAL/LUX (Layout reversed)



End Luxury Washroom Available on the following model:

Conqueror 630





Conqueror 580 NT



Top Left, Alouette Centre. Top Right, Baronette SB. Above, Challenger 530 SB.

Corniche features



New 14/2 model

EXTERIOR

New for 2000

- External wet locker with integrated mains socket
- Heki 2 rooflight with flyscreen and blind
- Exterior quick release door retainer
- Wheel trims in chrome
- 'A' frame cover light
- Graphics
- All models comply with European Standards
- Al-Ko galvanised steel chassis with Euro-Axle
- GRP front and rear panel with high level brake light
- Exterior door with window and window blind
- Exterior access battery box (excluding battery)
- External barbecue point



- Easy access gas bottle storage with gas strut support
- Awning light
- Light clusters incorporating stop/tail, indicator and reverse lights
- Side direction repeater lights
- TV aerial and amplifier
- 14" wheels and tyres
- Electrolux fridge vents for ease of maintenance

LOUNGE/DINING AREA

New for 2000

- Individually designed fabrics for 2 and 3 berth models
- Lift up easy access beech sprung bed slats
- Co-ordinated curtains and pelmets to the designer upholstery
- Furniture with 'Korsica Apple' furniture board and Italian designer ash furniture doors
- Welsh dresser incorporating cocktail cabinet with tinted doors, CD player and storage
- Down lighters over welsh dresser
- Curved drawer unit with occasional table (parallel option only)

- Free standing ash edged table with dedicated storage location
- Domestic quality interior sprung bedding and back rests
- Removable bound edged carpet over easy clean vinyl cushion floor

KITCHEN

New for 2000

- Green recessed enamelled steel sink and drainer incorporating flush fitting glass hinged worktop
- Concealed microswitch Reich tap within kitchen sink unit
- Pull out sink unit basket storage
- Pull out work top extension/chopping board
- Latest generation domestic slot in Stoves oven with flush fitting top, 4 burner hob, oven, grill, pan storage and flame failure device
- Safety hob lid with gas cut out feature
- Curved shaped fridge door in matching wood grain effect
- Electrolux 86 litre fridge with full width freezer compartment and interior light
- L-shaped kitchen in 14/2 layout

HEATING & PLUMBING

New for 2000

- Carver 5500 dual fuel heating system including improved Fanmaster blown air
- One piece sealed shower cubicle in luxury NT washrooms with built in wall mirrors and integral storage
- Improved SB washroom with corner vanity cabinet, additional storage and down lighters
- Under slung water tank 9 gallons, fully insulated with integral water level sensor
- Electric flush Thetford cassette toilet with header tank
- Waste water tank
- Microswitched water system with domestic style mono block single action taps
- Inboard rigid piped microswitched water system
- Carver Rapide gas electric water heater
- Large bore underslung rigid waste water system

ELECTRICAL

New for 2000

- Electrical control panel over exterior door featuring 12v isolation, interior entry switch, alarm, battery and water level indicators
- Dimmer switch to mains lights
- Modern mains reading lights
- Silver sand circular ceiling lights
- Philips radio/CD player

- 12 amp switch mode charger/ transformer
- Halogen interior lights
- Mains electrics with four 230v sockets (one exterior)



- TV station with 230v/12v and aerial connections
- 230v and 12v reading lights
- 25m electric hook up cable

FITTINGS & EQUIPMENT

New for 2000

- Locker construction for rigidity and strength
- Ash framed Tecnoform Italian locker doors with raised profile centre panel
- Co-ordinated satin steel locker handles
- Curved worktops in matching woodgrain or slate effect laminate
- Caravan entrance step
- Double glazing with night latch ventilation
- Full window blinds and flyscreens to all opening windows
- Cassette
 flyscreen to
 exterior doorway
- Multi-directional roof lights and sliding blind and flyscreen
- Pull out roller slatted beds
- Ventilation boards to back rests
- Quartz clock
- Concealed metal wall plates and timbers for secure furniture fixing
- Spare wheel and tyre
- Side operated jack
- External barbecue point
- Door mat with brush out facility
- Omnivent two way 3 speed fan

- Polyplastic windows with concealed locks and stays
- Concealed security data chip within caravan construction
- Passive infra-red security alarm
- Single key high security locks
- Identity number etched to windows and stamped on chassis
- Lockable corner steadies (locks not supplied)



Conqueror features



New 610 and 630 models

EXTERIOR

New for 2000

Graphics with 2000 motifWet locker

incorporating 13 amp socket

- Exterior quick release door retainer
- Two piece side panels for smoother lines
- All models comply with European Standards
- Aerodynamically efficient styled GRP front panel and back panel incorporating a high level spoiler with brake light and Caraluna light clusters with stop, tail, side, fog and reversing lights
- Upgraded Al-Ko galvanised steel chassis with Euro-Axle
- Heki 2 roof light with flyscreen blind
- Exterior door with window and window blind
- Exterior access battery box (excluding battery)



- Easy access gas bottle storage with gas strut to door
- External gas barbecue point
- Electrolux fridge vents for ease of maintenance
- Bolt on wheel trims
- Awning light
- Side direction indicator repeater lights
- TV aerial and amplifier system

LOUNGE/DINING AREA

New for 2000

- 'Korsica Apple' style furniture board
- Lift up easy access beech sprung bed slats
- Exciting fabric to all upholstery
- Velvet curtains to match upholstery
- Improved seating in 580 side dinette for more comfort and legroom
- Freestanding ash edged table with dedicated storage area
- Drawer unit with occasional table (not available in Salon models)
- Fitted cocktail cabinet



- Domestic quality interior sprung bedding and backrests
- 610/640 standard as 5 berth
- Overhead lockers above front windows

Large nearside picture window in Salon models

KITCHEN

New for 2000

- New burgundy kitchen equipment
- New recessed enamelled steel sink and drainer incorporating flush fitting glass hinged worktop
- Concealed microswitch Reich tap within kitchen sink unit
- Pull out sink unit basket storage
- Latest generation domestic slot in Stoves oven with flush fitting top, 4 burner hob, oven, grill, pan storage and flame failure device
- Safety hob lid with gas cut out feature
- Champagne kitchen colour option
- Curved shaped fridge door in matching wood grain effect
- Ergonomically designed large kitchen unit incorporating Electrolux 86 litre fridge

HEATING & PLUMBING

New for 2000

- Carver 5500 dual fuel heating system including improved Fanmaster blown air
- One piece sealed shower cubicle in 580 NT
- Improved SB washroom with corner cabinet, additional storage and down lighters in 580
- Improved centre washroom
- Electric flush Thetford cassette toilet with header tank
- New under slung water tank 9 gallons, fully integrated with integral water level sensor
- Waste water container provided
- Microswitch water system with single action taps colour co-ordinated to all locations
- Large bore underslung rigid waste water system
- Luxury washrooms with built in wall mirrors, matching shower and vanity unit and integral storage (layout varies dependent on model)
- Carver Rapide gas/electric water heater
- Inboard rigid piped fresh water system

ELECTRICAL

New for 2000

- Electrical control panel over entrance door featuring 12v isolation, interior entry switch and alarm
- Mains electrics with four 230v sockets
- 25m mains hook up cable
- 230v and 12v reading lights
- TV station with 230v/12v/aerial connection
- 12amp switch mode charger/transformer
- Dedicated radio cassette location (radio

- cassette not supplied) prewired for ease of installation
- Round halogen ceiling lights
- Omnivent 3 speed fan and skylight



FITTINGS & EQUIPMENT

New for 2000

- New improved curved feel to all furniture and mouldings
- New locker construction for rigidity and strength
- New Tecnoform Italian designed aircraft style locker upper doors
- Co-ordinated curved locker handles
- Curved worktops in matching woodgrain or slate effect laminate
- Caravan entrance step
- Bunk ladder (where bunks supplied)
- Double glazing with night latch ventilation
- Full blinds and flyscreens to all opening windows
- Cassette flyscreen to exterior doorway
- Multi-directional roof vents with sliding blinds and flyscreen (to main compartment)
- Pull out roller slatted beds
- Ventilation boards to back rests
- Concealed metal wall plates and timbers for secure furniture fixing
- Quartz clock
- Spare wheel and tyre
- Al-Ko jack system (side mounted on some models)
- Door mat with brush out facility

- Passive infra-red security alarm
- Single key high security locks
- Identity numbers etched to windows and stamped on chassis
- Lockable rear corner steadies (lock not supplied)
- Polyplastic windows with concealed locks and stays with concealed fixing of hinge bar
- Concealed security data chip within caravan construction



Challenger features



EXTERIOR

New for 2000

- Graphics with 2000 motif
- Wet locker incorporating 13 amp socket

Heki 2 rooflight with flyscreen and blind

- Smooth style exterior body shape with two piece side panels
- Exterior quick release door retainer
- All models comply with European Standards
- Extra width and height for improved interior space
- Aerodynamically efficient styled GRP front panel and back panel incorporating a high level spoiler with brake light and Caraluna light clusters with stop, tail, side, fog and reversing lights
- Wheel arch fairings complement the bodyshell
- Al-Ko galvanised chassis with Euro-Axle
- Exterior door with window and window blind



- Full exterior door cassette flyscreen
- Exterior access battery box (excluding battery)
- Easy access gas bottle storage with gas strut supported door
- Side direction indicator repeater lights
- Awning light
- TV aerial and amplifier system

LOUNGE/DINING AREA

New for 2000

- Furniture board in 'Korsica Apple'
- Lift up easy access beech sprung bed slats
- Luxury modern designer chenille fabric
- Optional velour traditional fabric
- Velour co-ordinated curtains and pelmets
- Sculptured corner and armrest cushions
- Redesigned centre dinette for improved legroom and seating (520/530)
- Front beds 1920mm (6'3½") in most models
- Freestanding ash edged table with

dedicated storage area

- Drawer unit with occasional table (parallel front option only)
- Fitted cocktail cabinet

- Domestic quality interior sprung upholstery including backrest
- Two scatter cushions
- Optional L front layout on all models (except 500)
- Overhead front lockers for extra storage

KITCHEN

New for 2000

- Burgundy kitchen equipment
- Recessed enamelled steel sink and drainer incorporating flush fitting glass hinged workton
- Concealed microswitch Reich tap within kitchen sink unit
- Pull out sink unit basket storage
- Latest generation domestic slot in Stoves oven with flush fitting top, 4 burner hob, oven, grill, pan storage and flame failure
- Safety hob lid with gas cut out feature
- Champagne kitchen colour option
- Curved shaped fridge door in matching wood grain effect
- L shaped kitchen in 500 with swivel TV facility
- Electrolux 77 litre fridge with electronic ignition and full width freezer compartment

HEATING & PLUMBING

New for 2000

- Carver 5500 dual fuel heating system including improved Fanmaster blown air
- One piece sealed shower cubicle in NT washrooms
- Improved SB washroom with corner cabinet additional storage and down lighters
- Improved centre washroom
- Electric flush Thetford toilet with built in header tank
- Low level washroom light
- Meets grade 2 classification for thermal heating and insulation
- Microswitch plumbing system
- Chrome effect Elite washroom taps
- Washrooms in 480 and 530 models with attractive shower area with sliding circular shaped door
- Luxury washroom suite with built in wall mirrors and matching vanity unit with integral storage (490 SE/490L SE)
- Carver Rapide gas/electric water heater
- Inboard rigid piped fresh water system
- Large bore rigid waste pipes

ELECTRICAL

New for 2000

 Electrical control panel mounted over entrance door featuring 12v isolation and interior entry switch

- Mains electrics with three 230v sockets
- 12v socket230v and 12v
- reading light

 12 amp
 switchmode
- charger/transformer

 25m mains hook up cable
- Dedicated TV station with 230v/12v/aerial connection
- Sophisticated electrical control panel with ELCB
- Circular halogen centre ceiling lights

FITTINGS & EQUIPMENT

New for 2000

- Improved curved feel to all furniture and mouldings
- Locker construction for rigidity and strength
- Tecnoform Italian designed aircraft style locker upper doors
- Co-ordinated curved locker handles
- Curved worktops in matching woodgrain or slate effect laminate
- Bunk ladder (where bunks supplied)
- Caravan entrance
 ctop
- Double glazing with night latch ventilation and concealed fasteners
- Full window blinds and flyscreens to all opening windows
- Multi-directional roof lights with sliding blind and flyscreen to main compartment
- Ventilation boards to back rests
- Concealed metal wall plates and timber for secure furniture fixing
- Quartz clock
- Deep hardwood edges to all work surfaces

- Concealed security data chip within the caravan construction
- Single key high security locks
- Identity number etched to windows and stamped on chassis



Classic features



New Coronette model

EXTERIOR

New for 2000

- Two piece side panel construction
- Graphics with 2000 motif
- Window system with 4 radiused corners and concealed hinge bar
- Exterior access locker door
- Heki 2 rooflight with flyscreen and blind
- Exterior quick release door retainer
- All models comply with European Regulations
- New design wheel arch fairings
- Matching wheel trims
- Lightweight Al-Ko galvanised steel chassis with Euro-Axle
- Exterior door with window and blind



- Exterior access battery box (excluding battery)
- Easy access gas bottle storage area with gas strut support
- Awning light
- Neutral density rear light cluster including reversing and fog lights
- TV aerial with amplifier

LOUNGE/DINING AREA

New for 2000

- Furniture board in 'Korsica Apple' with new profile ash framed doors
- Luxury modern designer chenille fabric
- Wood effect pelmets (some photographs show fabric which is not available)
- Cocktail cabinet in off side front locker for ease of access
- Sculptured armrest cushions



- Redesigned centre dinette for improved legroom and seating in Baronette
- Co-ordinated carpet and lined velvet curtains

- L shape layout option in all models (except Danette)
- Drawer unit with occasional table on parallel layout (except Danette)
- Front beds 1920mm (6'3½") (except Danette)
- Superior quality domestic style sprung bedding including backrests (excluding side dinettes and bunks)
- Freestanding table with dedicated storage area
- Front occasional table in Danette model
- Split front base cushions 60/40 for easy bed make up (excluding Danette)

KITCHEN

New for 2000

- Marble grey slate effect laminate to kitchen worktops
- 77 litre full width fridge freezer
- 4 burner Stoves sandstone enamel hob with gold handles and flame failure device
- Stoves thermostatic sandstone glass fronted oven
- Full width grill
- Polycarbonate sink and drainer in matching sandstone

HEATING & PLUMBING

New for 2000

- Washroom in SB layout with fully sealed circular shower cubicle (Coronette, Duette and Baronette)
- Larger window in centre washrooms
 (Danette and Alouette)
- Carver 5500 dual fuel heating system including improved Fanmaster blown air in Coronette, Alouette and Baronette
- Meets grade 2 classification for thermal heating and insulation
- Microswitch plumbing system
- Fanmaster ducted blown air background heating system
- Carver Rapide gas/electric water heater
- Inboard rigid piped water system
- Fully fitted vanity units with mixer tap
- Large bore underslung waste pipes
- Thetford cassette tollet
- Carver 2000 space heater in Silhouette,
 Duette and Danette

FLECTRICAL

New for 2000

- Gold effect round halogen ceiling lights
- Full mains electrics with two 230v sockets



- TV station with 230v/12v and aerial connection
- 12v and 230v reading lights
- Switch mode charger/transformer with ELCB
- Modular electrical control panel
- 25m mains hook up facility

FITTINGS & EQUIPMENT

New for 2000

- Wrap round option front bedding in all models (except Danette and Coronette)
- Caravan entrance step
- Bunk ladder (where bunks provided)
- Double glazing with night latch ventilation
- Full window blinds and flyscreens to all opening windows
- Roof lights with night blinds and flyscreens (main compartment)
- Exterior door flyscreen
- Pull out roller slatted beds
- Fully slatted bed box tops
- Solid ash framed furniture doors
- Concealed metal wall plates and timber rails for secure furniture fixing

- Concealed security data chip within caravan construction
- Identity number etched to window and chassis stamped
- High security single key operation




Corniche technical information dimensions and weights


Optional L Shape Front Available on all models



Optional Wrap Round Front Available on all models









Model	14/2		15/2E NT
Berths	2		2
Internal Length (At bed box height)	4.70m/15'5"	*	4.70m/15'5"
Overall Width	2.16m/7'1"		2.16m/7'1"
Overall Height (Including TV aerial)	2.76m/9'1"		2.76m/9'1"
Overall Length	6.28m/20'7"		6.28m/20'7"
Mass in Running Order (Inc. 3% tolerance)	1131kg/22.3cwt		1149kg/22.6cwt
Essential Habitation Equipment Payload	113kg/2.2cwt		113kg/2.2cwt
Personal Effects Payload	105kg/2.1cwt		105kg/2.1cwt
Optional Equipment Payload	36kg/0.7cwt		43kg/0.8cwt
Maximum Technical Permissible Laden Mass	1385kg/27.3cwt		1410kg/27.8cwt
Awning A/A Dimension	8.41m/27*7"		8.41m/27'7"
Tyre Size	175R14 5stud 99		175R14 5stud 99


bed sizes

Front Double*	201cm x 192cm/6'7" x 6'4"	201cm x 192cm/6'7" x 6'4"
or One Single	192cm x 66cm/6'4" x 2'2"	192cm x 66cm/6'4" x 2'2"
and One Single	192cm x 66cm/6'4" x 2'2"	192cm x 66cm/6'4" x 2'2"
Side Single	•	*:
Optional Bunk		•
Front L Option	201cm x 137cm/6'7" x 4'6"	201cm x 137cm/6'7" x 4'6"

Note: A tolerance of 3% in the Mass in Running Order has been allowed for in the calculation of payload margins. *Double bed size is quoted with wrap round seating.







17/3 NT	17/3 SB
3 opt 4	3 opt 4
5.36m/17'7"	5.36m/17'7"
2.16m/7'1"	2.16m/7°1*
2.76m/9'1"	2.76m/9°1"
6.94m/22'9"	6.94m/22'9"
1244kg/24.4cwt	1249kg/24.6cwt
113kg/2.2cwt	113kg/2.2cwt
131kg/2.6cwt	131kg/2.6cwt
52kg/1.0cwt	47kg/0.9cwt
1540kg/30.3cwt	1540kg/30.3cwt
9.07m/29°9"	9.07m/29°9°
175R14 5stud 99	175R14 5stud 99
	3 opt 4 5.36m/17'7" 2.16m/7'1" 2.76m/9'1" 6.94m/22'9" 1244kg/24.4cwt 113kg/2.2cwt 131kg/2.6cwt 52kg/1.0cwt 1540kg/30.3cwt 9.07m/29'9"

201cm x 192cm/6'7" x 6'4"	201cm x 192cm/6'7" x 6'4"	201cm x 192cm/6'7" x 6'4"
192cm x 66cm/6'4" x 2'2"	183cm x 66cm/6'0" x 2'2"	183cm x 66cm/6'0" x 2'2"
192cm x 66cm/6'4" x 2'2"	190cm x 66cm/6'3" x 2'2"	190cm x 66cm/6'3" x 2'2"
	180cm x 66cm/5'11" x 2'2"	180cm x 66cm/5'11" x 2'2"
•	172cm x 58cm/5'8" x 1'11"	172cm x 58cm/5'8" x 1'11"
201cm x 137cm/6'7" x 4'6"	201cm x 137cm/6'7" x 4"6"	201cm x 137cm/6'7" x 4'6"

Conqueror technical information dimensions and weights

Optional Wrap Round Front

Available on all Lux models



Optional Salon Front Available on 580NT/SB, 610 and 640





Optional Parallel Rear



Optional L Shape Rear







10.0m/32'10"

155R13 78

Model 580NT Lux 580SB Lux Berths Internal Length (At bed box height) 5.85m/19'2" 5.85m/19'2" **Overall Width** 2.23m/7'4" 2.23m/7'4" Overall Height (Including TV aerial) 2.75m/9'0" 2.75m/9'0" **Overall Length** 7.33m/24'1" 7.33m/24'1" Mass in Running Order (Inc. 3% tolerance) 1290kg/25.4cwt 1290kg/25.4cwt **Essential Habitation Equipment Payload** 113kg/2.2cwt 113kg/2.2cwt Personal Effects Payload 135kg/2.7cwt 135kg/2.7cwt **Optional Equipment Payload** 32kg/0.6cwt 32kg/0.6cwt Maximum Technical Permissible Laden Mass 1570kg/31.0cwt 1570kg/31.0cwt

bed sizes

Awning A/A Dimension

Tyre Size


Front Double	201cm x 192cm/6'7" x 6'4	201cm x 192cm/6'7" x 6'4
or One Single	192cm x 68cm/6'4" x 2'3"	192cm x 68cm/6'4" x 2'3"
and One Single	192cm x 68cm/6'4" x 2'3"	192cm x 68cm/6'4" x 2'3"
Rear Double	59.1	
Rear Bunk	it.	
Side Single (o/s)	180cm x 68cm/5'11" x 2'3"	180cm x 68cm/5'11" x 2'3"
Side Bunk	172cm x 58cm/5'8" x 1'11"	172cm x 58cm/5'8" x 1'11"
Front Sulon Option	201cm x 137cm/6'7" x 4'6"	201cm x 137cm/6'7" x 4'6"

10.0m/32'10"

155R13 78

Note: A tolerance of 3% in the Mass in Running Order has been allowed for in the calculation of payload margins. *Estimated weight. *Double bed size is quoted with wrap round seating.







610 Lux	630 Lux	640 Lux
5	4	5
6.35m/20'10"	6.35m/20'10"	6.35m/20°10"
2.23m/7'4"	2.23m/7'4"	2.23m/7'4"
2.75m/9'0"	2.75m/9°0"	2.75m/9'0"
7.83m/25'8"	7.83m/25'8"	7.83m/25'8"
1432kg/28.2cwt*	1421kg/28.0cwt*	1432g/28.2cwt
113kg/2.2cwt	113kg/2.2cwt	121kg/2.4cwt
150kg/3.0cwt	140kg/2.8cwt	150kg/3.0cwt
55kg/1.1cwt	- 46kg/0.9cwt	47kg/0.9cwt
1750kg/34.4cwt	1720kg/33.9cwt	1750kg/34.4cwt
10.50m/34'5"	10.50m/34'5"	10.50m/34'5"
165R13 83T	165R13 83T	165R13 83T

201cm x 192cm/6'/" x 6'4	201cm x 183cm/6 7" x 6 0	201cm x 192cm/6'7" x 6'4
192cm x 68cm/6'4" x 2'3"	183cm x 68cm/6'0" x 2'3"	192cm x 68cm/6'4" x 2'3"
192cm x 68cm/6'4" x 2'3"	192cm x 68cm/6'4" x 2'3"	192cm x 68cm/6'4" x 2'3"
193cm x 137cm/6'4" x 4'6"	190cm x 137cm/6'3" x 4'6"	201cm x 137cm/6'7" x 4'6"
193cm x 58cm/6'4" x 1'11"		201cm x 58cm/6'7" x 1'11"
÷.	*	er:
W S	***	*
201cm x 137cm/6'7" x 4'6" .	*	201cm x 137cm/6'7" x 4'6"


Challenger technical information dimensions and weights


Optional L Shape Front Available on 400SE, 470SE, 480SE, 490SE, 490L SE, 520SE and 530SE




Optional Wrap Round Front Available on all models, standard on 500 with option of chest









Model	400SE	470SE	480SE
Berths	2	2	2
Internal Length (At bed box height)	4.27m/14'0"	4.70m/15'5"	4.70m/15'5"
Overall Width	2.16m/7'1"	2.16m/7°1"	2.16m/7'1"
Overall Height (Including TV aerial)	2.75m/9'0"	2.75m/9'0"	2.75m/9'0"
Overall Length	5.74m/18'10"	6.17m/20'3"	6.17m/20'3"
Mass in Running Order (Inc. 3% tolerance)	975kg/19.2cwt	1046kg/20.6cwt	1046kg/20.6cwt
Essential Habitation Equipment Payload	88kg/1.7cwt	80kg/1.6cwt	80kg/1.6cwt
Personal Effects Payload	99kg/2.0cwt	104kg/2.0cwt	104kg/2.0cwt
Optional Equipment Payload	38kg/0.7cwt	40kg/0.8cwt	40kg/0.8cwt
Maximum Technical Permissible Laden Mass	1200kg/23.6cwt	1270kg/25.0cwt	1270kg/25.0cwt
Awning A/A Dimension	8.50m/27'11"	8.93m/29'4"	8.93m/29'4"
Tyre Size	165R13 91R	175R13 94N	175R13 94N

bed sizes

Front Double*	201cm x 192cm/6'7" x 6'4"	201cm x 192cm/6'7" x 6'4"	201cm x 192cm/6'7" x 6'4"
or One Single	192cm x 66cm/6'4" x 2'2"	192cm x 66cm/6'4" x 2'2"	192cm x 66cm/6'4" x 2'2"
and One Single	192cm x 66cm/6'4" x 2'2"	192cm x 66cm/6'4" x 2'2"	192cm x 66cm/6'4" x 2'2"
Rear Double		060	
Rear Bunk		9	
Side Single			
Side Bunk			
Front L Option	201cm x 137cm/6'7" x 4'6"	201cm x 137cm/6'7" x 4'6"	201cm x 137cm/6'7" x 4'6"

Note: A tolerance of 3% in the Mass in Running Order has been allowed for in the calculation of payload margins. *Estimated weights. *Double bed size is quoted with wrap round seating.



201cm x 137cm/6'7" x 4'6 .

201cm x 137cm/6'7" x 4'6"







172cm x 58cm/5'8" x 1'11"

201cm x 137cm/6'7" x 4'6"

172cm x 58cm/5'8" x 1'11"

201cm x 137cm/6'7" x 4'6"



490SE	490L SE	500SE	520SE	530SE
5	5	4	4	4
5.30m/17'5"	5.30m/17'5"	5.09m/16'8"	5.23m/17'2"	5.23m/17'2"
2.16m/7'1"	2.16m/7'1"	2.23m/7'4"	2.16m/7'1"	2.16m/7'1"
2.76m/9'1"	2.76m/9'1"	2.75m/9'0"	2.75m/9°0"	2.75m/9'0"
6.77m/22'3"	6.77m/22'3"	6.57m/21'7"	6.70m/22°0"	6.70m/22'0"
1178kg/23.2cwt*	1178kg/23.2cwt*	1110kg/21.9cwt	1111kg/21.9cwt*	1111kg/21.9cwt*
88kg/1.7cwt	88kg/1.7cwt	80kg/1.6cwt	80kg/1.6cwt	80kg/1.6cwt
140kg/2.7cwt	140kg/2.7cwt	128kg/2.5cwt	129kg/2.5cwt	129kg/2.5cwt
34kg/0.7cwt	34kg/0.7cwt	22kg/0.4cwt	20kg/0.4cwt	20kg/0.4cwt
1440kg/28.3cwt	1440kg/28.3cwt	1340kg/26.4cwt	1340kg/26.4cwt	1340kg/26.4cwt
9.53m/31'3"	9.53m/31'3"	9.33m/30'7"	9.46m/31'0"	9.46m/31'0"
175R14 5stud 99	175R14 5stud 99	175R13 94N	175R13 94N	175R13 94N
201cm x 192cm/6'7" x 6'4"	201cm x 192cm/6'7" x 6'4"	205cm x 113cm/6'9" x 3'8"	201cm x 183cm/6'7" x 6'0"	201cm x 183cm/6'7" x 6'0"
192cm x 66cm/6'4" x 2'2"	192cm x 66cm/6'4" x 2'2"		183cm x 66cm/6'0" x 2'2"	183cm x 66cm/6'0" x 2'2"
192cm x 66cm/6'4" x 2'2"	192cm x 66cm/6'4" x 2'2"		192cm x 66cm/6'4" x 2'2"	192cm x 66cm/6'4" x 2'2"
201cm x 137cm/6'7" x 4'6"	201cm x 137cm/6'7" x 4'6"	190cm x 137cm/6'3" x 4'6"		¥
201cm x 58cm/6'7" x 1'11"	201cm x 58cm/6'7" x 1'11"			
*		*	180cm x 66cm/5'11" x 2'2"	180cm x 66cm/5'11" x 2'2"


Classic technical information dimensions and weights


Optional L Shape Front Available on Silhouette, Duette, Alouette, Alouette L and Baronette




Optional Wrap Round Front Available on all models except Danette and Coronette










Model	Silhouette	Danette	Duette
Berths	2	5	2
Internal Length (At bed box height)	3.94m/12'11"	4.52m/14'10"	4.61m/15°2"
Overall Width	2.14m/7'0"	2.14m/7'0"	2.14m/7°0°
Overall Height (Including TV aerial)	2.71m/8'11"	2.71m/8'11"	2.71m/8'11"
Overall Length	5.42m/17'9"	6.00m/19'8"	6.09m/20'0"
Mass in Running Order (Inc. 3% tolerance)	840kg/16.5cwt	948kg/18.7cwt	919kg/18.1cwt
Essential Habitation Equipment Payload	88kg/1.7cwt	88kg/1.7cwt	80kg/1.6cwt
Personal Effects Payload	96kg/1.9cwt	132kg/2.6cwt	103kg/2.0cwt
Optional Equipment Payload	36kg/0.7cwt	32kg/0.6cwt	38kg/0.7cwt
Maximum Technical Permissible Laden Mass	1060kg/20.9cwt	1200kg/23.6cwt	1140kg/22.4cwt
Awning A/A Dimension	8.14m/26'8"	8.72m/28'7"	8.77m/28'9"
Tyre Size	185/70 R13 86	165R13 91R	165R13 91R


bed sizes


Front Double	201cm x 192cm/6'7" x 6'4"	201cm x 137cm/6'7" x 4'6"	201cm x 183cm/6'7" x 6'0"
or One Single	192cm x 66cm/6'4" x 2'2"	*	183cm x 66cm/6'0" x 2'2"
and One Single	192cm x 66cm/6'4" x 2'2"		192cm x 66cm/6'4" x 2'2"
Rear Double	*	201cm x 119cm/6'7" x 3'11"	*
Rear Bunk		201cm x 56cm/6'7" x 1'10"	
Side Single			
Side Bunk			
Front L Option	201cm x 137cm/6'7" x 4'6"	2	201cm x 137cm/6'7" x 4'6"

Note: A tolerance of 3% in the Mass in Running Order has been allowed for in the calculation of payload margins. *Double bed size is quoted with wrap round seating.









Coronette	Alouette	Alouette L	Baronette
2	5	5	4
4.70m/15'5"	5.03m/16'6"	5.03m/16'6"	5.23m/17*2"
2.14m/7'0"	2.14m/7°0"	2.14m/7'0"	2.14m/7'0"
2.71m/8'11"	2.71m/8'11"	2.71m/8'11"	2.71m/8'11"
6.18m/20'3"	6.51m/21'4"	6.51m/21'4"	6.71m/22'0"
917kg/18.1cwt	1007kg/19.8cwt	1016kg/20.0cwt	1022kg/20.1cwt
80kg/1.6cwt	88kg/1.7cwt	88kg/1.7cwt	80kg/1.6cwt
104kg/2.0cwt	137kg/2.7cwt	137kg/2.7cwt	129kg/2.5cwt
39kg/0.8cwt	38kg/0.7cwt	34kg/0.6cwt	34kg/0.6cwt
1140kg/22.4cwt	1270kg/25.0cwt	1275kg/25.1cwt	1265kg/24.9cwt
8.86m/29'1"	9.23m/30'3"	9.23m/30'3"	9.43m/30'11"
165R13 91R	175R13 94N	175R13 94N	175R13 94N

201cm x 137cm/6'7" x 4'6"	201cm x 192cm/6'7" x 6'4"	201cm x 192cm/6'7" x 6'4"	201cm x 183cm/6'7" x 6'0"
192cm x 66cm/6'4" x 2'2"	192cm x 66cm/6'4" x 2'2"	192cm x 66cm/6'4" x 2'2"	183cm x 66cm/6'0" x 2'2"
192cm x 66cm/6'4" x 2'2"	192cm x 66cm/6'4" x 2'2"	192cm x 66cm/6'4" x 2'2"	192cm x 66cm/6'4" x 2'2"
	201cm x 119cm/6'7" x 3'11"	201cm x 119cm/6'7" x 3'11"	*
	201cm x 56cm/6'7" x 1'10"	201cm x 56cm/6'7" x 1'10"	
	2	<u> </u>	180cm x 66cm/5'11" x 2'2"
€.			172cm x 58cm/5'8" x 1'11"
	201cm x 137cm/6'7" x 4'6"	201cm x 137cm/6'7" x 4'6"	201cm x 137cm/6'7" x 4'6"



Your Local Dealer



Quality with Style







SWIFT CARAVANS, DUNSWELL ROAD, COTTINGHAM, EAST YORKSHIRE HU16 4JX. TEL: 01482 847332 FAX: 01482 841042

e-mail/web site: www.swiftleisure.co.uk

This brochure does not constitute an offer by Swift Group Limited (Swift). Swift reserves the right to alter specifications and prices at any time as materials and conditions demand. Distributors and dealers sell Swift products on their own account and not as agents of Swift. Accordingly, they have no authority to bind Swift or to make any representation or undertaking whatsoever on behalf of Swift.

The touring caravans described in this brochure are designated by their model year. The model year runs from 1 September to 31 August and the despatch of 2000 models will have commenced on or after 1 September 1999.

Issued September 1999